(T)650-369-4889 · (F)650-369-7169

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, . 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor 97.03 43 Occupational Safety and Health Administration

(Non-Mandatory Form)

Form Approved OMB No. 1218-0072 104754 76

IDENTITY (As Used on Label and List) All Wood Cased Pencil Products

Art - Office - School - Craft - Charcoal -**Graphite - Pastels - Colored**

Note: Blank spaces are not permited. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I

Manufacturer's Name

Emergency Telephone Number

1-800-537-0734

General Pencil Company, Inc.

Address

(Number, Street, City, State, and ZIP

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

Date Prepared Revised 4-15-2006

Signature of Preparer (optional)

product name (#69 Pencil Sharpeners Handheld

Section II - Hazardous Ingredients/Identity Information

Hazardous Components

OSHA

ACGIH

Other Limits

0/n

(Specific Chemical Identity; Common Name(s)) N/A

PEL

TLV

Recommended

(optional)

Pencil products bearing the PMA Certification Mark (Seal) of the Pencil Makers Assoc. Inc., are not within the scope of the OSHA Hazard Communication Standard. Pencils and graphite products are articles, not chemicals, 29 C.F.R. part 1910 1200 (B) (5)

Pencil products bearing the PMA Certification Mark (Seal) are Certified in a program of toxicologic evaluation by a medical expert subject to review by the programs Toxicological review board to contain no materials in sufficient quantities to offer an acute or chronic health hazard to humans.

No acute or chronic health labeling is required under, provision of federal law, the federal hazardous substance act, or under ASTM Standard D 4236.

Section III - Physical/Chemical Characteristics

Boiling Point

N/A

Specific Gravity $(H_2O = 1)$

N/A

Vapor Pressure (mm Hg)

N/A

Melting Point

N/A

Vapor Density (AIR = 1)

N/A

Evaporation Rate (Butyl Acetate = 1)

N/A

Solubility in Water

N/A

Appearance and Odor

Solid Stick Form - Cedar Fragrance, Dk. Grey - Black

(T)650-369-4889 · (F)650-369-7169

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)

Flammable

Limits

LEL

UEL

365° F

N/A

N/A

N/A

Extinguishing Media

Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures

A self contained breathing device should be used when there is potential exposure to combustion products burning in bulk.

Unusual Fire and Explosion Hazards

Pencil products stored in bulk are subject to ignition by fire and may, in case of fire, release toxic and other irritating gasses.

Section V - Reactivity Data

Stability

Unstable N/A

Conditions to Avoid

Stable

N/A N/A

Incompatibility (Materials to Avoid)

N/A

Hazardous Decomposition or Byproducts

N/A

Hazardous Polymerization

May Occur

N/A

Conditions to Avoid

N/A

Will Not Occur

N/A N/A

Section VI - Health Hazard Data

Route(s) of Entry:

Inhalation?

Skin?

Ingestion?

N/A

N/A

N/A

N/A

Health Hazards (Acute and Chronic)

N/A

Carcinogenicity:

NTP?

IARC Monographs?

OSHA Regulated?

N/A

N/A

N/A

N/A

Signs and Symptoms of Exposure

N/A

Medical Conditions Generally Aggravated by Exposure

N/A

Emergency and First Aid Procedures

N/A

(T)650-369-4889 · (F)650-369-7169

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

N/A

Waste Disposal Method

N/A

Precautions to Be taken in Handling and Storing

N/A

Other Precautions

N/A

Section VIII - Control Measures

Respiratory Protection (Specify Type)

N/A

Ventilation:

Local Exhaust

N/A

Special

N/A

Mechanical (General)

N/A

Other

N/A

Protective Gloves

Eye Protection

N/A

N/A

Other Protective Clothing or Equipment

N/A

Work/Hygienic Practices

N/A

Section IX - Other

PMA Certified

* U.S.G.P.O.: 1986 - 491 - 529/45775

^{**}This information sheet is for the consumer use of this product only.

^{***}The information herein is given in good faith, but no warranty, expressed or implied, is made.

(T)650-369-4889 · (F)650-369-7169

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific regulrements.

U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072



IDENTITY (As Used on Label and List) **Kneaded Erasers**

(#138E, #139E, #140E)

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to Indicate that.

SECTION I

Manufacturer or Distributor's Name

General Pencil Company, Inc.

Address (Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

Emergency Telephone Number

1-800-537-0734

Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

Date Prepared 2/2/99

Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components

OSHA ACGIH **Other Limits**

(Specific Chemical Identity; Common Name(s)) PEL TLV Recommended (optional) Polyisobutylene polymer mixed with vulcanized vegetable oil, petroleum distillate, fillers, and pigment. DOES NOT CONTAIN LATEX AND LANOLIN.

Section III - Physical/Chemical Characteristics

Boiling Point

N/A

Specific Gravity $(H_2O = 1)$

N/A

Vapor Pressure (mm Hg)

N/A

Melting Point

N/A

Vapor Density (AIR = 1)

Solubility in Water

1.389g/cm³

Evaporation Rate (Butyl Acetate = 1)

Not soluble

Appearance and Odor

Solid, Light Grey, Characteristic

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) Flammable

Limits

LEL

UEL

N/A

N/A

N/A

Extinguishing Media

Water, Carbon Dioxide, Foam

Special Fire Fighting Procedures

N/A

Unusual Fire and Explosion Hazards

(T)650-369-4889 · (F)650-369-7169

Section V - Reactivity Data

Stability

Unstable N/A Conditions to Avoid

Stable

N/A

Prolonged heating causes material to soften

Incompatibility (Materials to Avoid)

Hazardous Decomposition or Byproducts

N/A

Hazardous Polymerization

May Occur

N/A

Conditions to Avoid

Will Not Occur

N/A

Section VI - Health Hazard Data

Route(s) of Entry:

Inhalation?

Skin?

Eyes?

Ingestion?

Χ

Χ

Х

Health Hazards (Acute and Chronic)

N/A

Carcinogenicity:

NTP?

N/A

IARC Monographs?

OSHA Regulated?

N/A

N/A

N/A

Signs and Symptoms of Exposure

N/A

Medical Conditions Generally Aggravated by Exposure

N/A

Emergency and First Aid Procedures

Inhalation

N/A

Skin

Wash with soap and water

Eyes

Wash with water

Ingestion Consult with physician for advice

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Clean up using manual or mechanical methods

Waste Disposal Method

Dispose of per Local, State, and Federal regulations.

Precautions to be taken in Handling and Storing

Keep away from strong sunlight and heat.

Other Precautions

N/A

(T)650-369-4889 · (F)650-369-7169

Section VIII - Control Measures

Respiratory Protection (Specify Type)

N/A

Ventilation:

Local Exhaust

N/A

Special

N/A

Mechanical (General)

Other

N/A

Protective Gloves

N/A **Eye Protection**

N/A

N/A

Other Protective Clothing or Equipment

N/A

Work/Hygienic Practices

Practice good hygiene. Refrain from consuming food while using.

Section IX - Other Information

On the basis of data available to us, this product does not cause health problems.

The information provided in this MSDS is correct to the best of our knowledge and belief at the date of its publication.

This product is LATEX and LANOLIN FREE.

This product conforms to EN 71 (European Standard for Safety of Toys)

Part 1 - Physical Properties

Part 2 - Flammability

Part 3 - Migratory Heavy Metal Content

* U.S.G.P.O.: 1986 - 491 - 529/45775

**This information sheet is for the consumer use of this product only.

^{***}The information herein is given in good faith, but no warranty, expressed or implied, is made.