MATERIAL SAFETY DATA SHEET SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION THIS MATERIAL SAFETY DATA SHEET IS AVAILABLE IN SPANISH UPON REQUEST. LOS DATOS DE SEGURIDAD DEL PRODUCTO PUEDEN OBTENERSE EN ESPANOL SI LO REQUIERE. PRODUCT NAME : FUN-TAK ADHESIVE UPC NUMBER : 01201, 01203, 01204, 01205, 01206 PRODUCT USE/CLASS : Pliable rubber adhesive MANUFACTURER: 24 HOUR EMERGENCY: DAP INC. TRANSPORTATION: 1-800-535-5053 (352-323-3500) 2400 BOSTON STREET MEDICAL : 1-800-327-3874 (513-558-5111) BALTIMORE, MD 21224 PREPARE DATE : 08/24/1996 GENERAL INFORMATION: REVISION NO. : 4 DAP INC. : 1-888-DAP-TIPS (1-888-327-8477) REVISION DATE: 12/30/1999 SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS WT/WT % ITEM ----- CHEMICAL NAME ----- CAS NUMBER No hazardous materials in this product. ----- EXPOSURE LIMITS -----ACGIH OSHA COMPANY ITEM TLV-TWA TLV-STEL PEL-TWA PEL-CEILING TLV-TWA (See Section 16 for abbreviation legend) All remaining ingredients are not considered hazardous per the OSHA Hazard Communication Standard.

Listed Permissible Exposure Levels (PEL) are from the U.S. Dept. of Labor OSHA Final Rule Limits (CFR 29 1910.1000); limits may vary between states.

| | | | | | · *** |
|---|---------|------------|---|---------|----------------|
| - | SECTION | I 3 | - | HAZARDS | IDENTIFICATION |
| I | | | | | |

EMERGENCY OVERVIEW: In an emergency situation, this product should not pose a significant immediate concern for emergency response personnel.

| Product Name: FUN-TAK ADHESIVE Revision Date: 12/30/1999 Page 2 |
|---|
| SECTION 3 - HAZARDS IDENTIFICATION |
| POTENTIAL HEALTH EFFECTS: |
| EFFECTS OF OVEREXPOSURE - EYE CONTACT: None known. |
| EFFECTS OF OVEREXPOSURE - SKIN CONTACT: None known. |
| EFFECTS OF OVEREXPOSURE - INHALATION: None known. |
| EFFECTS OF OVEREXPOSURE - INGESTION: None known. |
| EFFECTS OF OVEREXPOSURE - CHRONIC HAZARDS: None known. |
| MEDICAL CONDITIONS WHICH MAY BE AGGRAVATED BY CONTACT: None known. |
| PRIMARY ROUTE(S) OF ENTRY: SKIN CONTACT EYE CONTACT INGESTION |
| SECTION 4 - FIRST AID MEASURES |
| EYE CONTACT: Flush with large quantities of water until irritation subsides. Contact a physician. |
| SKIN CONTACT: Wash with soap and water. |
| INHALATION: No known health hazards are known to exist. |
| INGESTION: DO NOT INDUCE VOMITING. Contact a physician or Regional Poisor Control Center immediately. |
| COMMENTS: None. |
| SECTION 5 - FIRE FIGHTING MEASURES |

FLASH POINT: None. (SETAFLASH CLOSED CUP) LOWER EXPLOSIVE LIMIT: N.A. UPPER EXPLOSIVE LIMIT: N.A.

AUTOIGNITION TEMPERATURE: N.E.

EXTINGUISHING MEDIA: CO2 DRY CHEMICAL FOAM WATER FOG

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.

SPECIAL FIREFIGHTING PROCEDURES: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear. Use water spray to cool exposed surfaces.

| Product Name: FUN-TAK ADHESIVE Revision Date: 12/30/1999 Page 3 | | | | | | | |
|--|--|--|--|--|--|--|--|
| SECTION 6 - ACCIDENTAL RELEASE MEASURES | | | | | | | |
| SPILL OR LEAK PROCEDURES: Use absorbent material or scrape up dried material and place into containers. | | | | | | | |
| SECTION 7 - HANDLING AND STORAGE | | | | | | | |
| HANDLING INFORMATION: KEEP OUT OF REACH OF CHILDREN. | | | | | | | |
| STORAGE INFORMATION: Store away from caustics and oxidizers. Keep containers tightly closed when not in use. Keep containers from excessive heat and freezing. Do not store at temperatures above 120 degrees F. | | | | | | | |
| OTHER PRECAUTIONS: None. | | | | | | | |
| SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION | | | | | | | |
| ENGINEERING CONTROLS: Normal room ventilation. | | | | | | | |
| RESPIRATORY PROTECTION: Not required. | | | | | | | |
| EYE PROTECTION: None required. | | | | | | | |
| SKIN PROTECTION: None required. | | | | | | | |
| OTHER PROTECTIVE EQUIPMENT: None. | | | | | | | |
| HYGIENIC PRACTICES: None. | | | | | | | |
| SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES | | | | | | | |
| BOILING RANGE : N.A. VAPOR DENSITY : N.A. ODOR : Little or none. APPEARANCE : Blue rubber EVAPORATION RATE: N.A. SOLUBILITY IN H2O : Insoluble SPECIFIC GRAVITY : 1.880 VAPOR PRESSURE : N.A. PHYSICAL STATE : Solid blue rubber | | | | | | | |
| (See Section 16 for abbreviation legend) | | | | | | | |
| SECTION 10 - STABILITY AND REACTIVITY | | | | | | | |

CONDITIONS TO AVOID: Excessive heat and freezing.

| Product Name: FUN-TAK ADHESIVE Revision Date: 12/30/1999 | Page | |
|--|--|----------|
| SECTION 10 - STABILITY AND REACTIVITY | | İ |
| INCOMPATIBILITY: Strong oxidizers and caustics. | | |
| HAZARDOUS DECOMPOSITION PRODUCTS: Normal decomposition product | s, i.e. CC | Ͻx, |
| HAZARDOUS POLYMERIZATION: Will not occur under normal condition | ls. | |
| STABILITY: This product is stable under normal storage condition | | |
| SECTION 11 - TOXICOLOGICAL PROPERTIES | | |
| None known. | | |
| SECTION 12 - ECOLOGICAL INFORMATION | | |
| No Information. | | |
| SECTION 13 - DISPOSAL CONSIDERATIONS | | ĺ |
| WASTE MANAGEMENT/DISPOSAL: Dispose of according to Federal, S Local Standards. This product does not meet the definition of waste according to U.S. EPA Hazardous Waste Management Regulat Section 261. State and Local regulations/restrictions are comdiffer from Federal regulations. Responsibility for proper was is with the owner of the waste. | a hazardo ions, 40 C plex and m | FR ay |
| EPA WASTE CODE - if discarded (40 CFR 261): None. | | |
| SECTION 14 - TRANSPORTATION INFORMATION | . No not like the fine has not not the two | |
| DOT PROPER SHIPPING NAME: Not Regulated by D.O.T. | 4 | |
| DOT TECHNICAL NAME: None | | |
| DOT HAZARD CLASS: NONE | | |
| DOT UN/NA NUMBER: NONE PACKING GROUP: NONE | | |

Product Name: FUN-TAK ADHESIVE Revision Date: 12/30/1999 SECTION 15 - REGULATORY INFORMATION U.S. FEDERAL REGULATIONS: AS FOLLOWS -SARA SECTION 313: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: ----- CHEMICAL NAME ----- CAS NUMBER WT/WT % RANGE No SARA Section 313 components exist in this product. TOXIC SUBSTANCES CONTROL ACT: This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States: ----- CHEMICAL NAME -----CAS NUMBER None. CALIFORNIA PROPOSITION 65: WARNING: The chemical(s) noted below and contained in this product, are known to the state of California to cause cancer, birth defects or other reproductive harm:

----- CHEMICAL NAME -----CAS NUMBER No Proposition 65 chemicals are known to exist in this product.

INTERNATIONAL REGULATIONS: AS FOLLOWS -

SECTION 16 - OTHER INFORMATION

FLAMMABILITY: 1

REACTIVITY: 0

PREVIOUS MSDS REVISION DATE: 02/01/1997

REASON FOR REVISION:

HMIS RATINGS - HEALTH: 1

SECTION 1: Address change and new emergency contact phone numbers.

VOC less water, less exempt solvents: 0 gm/l(calculated)

VOC material: 0 gm/l(calculated)

LEGEND: ACGIH - AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS

N.A. - NOT APPLICABLE

N.E. - NOT ESTABLISHED

PEL - PERMISSIBLE EXPOSURE LIMIT

NTP - NATIONAL TOXICOLOGY PROGRAM

SARA - SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986

STEL - SHORT TERM EXPOSURE LIMIT

TLV - THRESHOLD LIMIT VALUE (8 HR. TIME WEIGHTED AVERAGE OR TWA)

VOC - VOLATILE ORGANIC COMPOUND

NJRTK - NEW JERSEY RIGHT TO KNOW LAW

N.D. - NOT DETERMINED

MSDS# 30404

This data is offered in good faith as typical values and not as a product specification. No warranty either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review the recommendations in specific context of the intended use and determine if they are appropriate.