

9708336

1002.

**MATERIAL SAFETY DATA SHEET****SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME: # 725 Hot Melt Glue  
GENERAL USE: Adhesive  
PRODUCT DESCRIPTION: Clear to opaque white to light amber solid



MANUFACTURER'S NAME

FPC Corporation

DATE PREPARED: May 6, 2008

SUPERSEDES: April 22, 2005

Page 1 of 4

ADDRESS (NUMBER, STREET, P.O. BOX)

355 Hollow Hill Drive

TELEPHONE NUMBER FOR INFORMATION

(847) 487-4583

(CITY, STATE AND ZIP CODE)

Wauconda, IL 60084

COUNTRY

USA

EMERGENCY TELEPHONE NUMBER

(847) 487-4583

**SECTION 2 - HAZARDS IDENTIFICATION****EMERGENCY OVERVIEW**

Non-hazardous solid, will support combustion if involved in a fire. Hazard symbols: None R - Phrases: Not classified

**POTENTIAL HEALTH EFFECTS**

INHALATION: No effects expected from product in normal solid form. Breathing fumes or vapors of molten material may cause irritation of nose, throat and respiratory tract.

SKIN: None expected from product in normal solid form. Thermal burns will result from contact with molten material.

EYES: Contact with normal solid product may cause irritation. Contact with molten material will cause severe thermal burns to eyes.

INGESTION: Ingestion of solid material may cause gastric distress, stomach pains, vomiting and diarrhea. Contact with molten material will cause severe thermal burns to mouth and trachea.

CARCINOGENICITY

NTP?

No

IARC MONOGRAPHS?

No

OSHA REGULATED?

No

**SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS****HAZARDOUS COMPONENTS**

CAS #

EINECS #

%

(by weight)

OSHA PEL

PPM

MG/M3

ACGIH TWA

PPM

MG/M3

RQ

LBS

No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directive 91 / 155 / EEC.

**MATERIAL SAFETY DATA SHEET**

PRODUCT NAME: # 725 Hot Melt Glue  
May 6, 2008

Page 2 of 4

**SECTION 4 - FIRST AID MEASURES**

INHALATION: Remove affected person to fresh air; if symptoms persist seek medical attention.

SKIN: For contact with molten material, carefully remove contaminated clothing, apply clean, cold water to affected area; do not attempt to remove solidified material; cover affected area with clean, wet compresses; seek immediate medical attention.

EYES: In case of contact with molten material, flush eyes with clear, cool running water for 15 minutes while holding eyelids open; do not attempt to remove solidified material; seek immediate medical attention.

INGESTION: Give two glasses of water for dilution; DO NOT induce vomiting; seek medical attention.

**SECTION 5 - FIRE FIGHTING MEASURES**

FLASH POINT (METHOD USED)

> 450° F (> 232° C)

FLAMMABLE LIMITS

LEL: Not applicable

UEL: Not applicable

AUTOIGNITION TEMPERATURE:

Not determined

NFPA CLASS:

None

GENERAL HAZARDS: Product is not considered flammable or combustible. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

EXTINGUISHING MEDIA

Carbon dioxide, water fog, dry chemical, chemical foam. Do not use direct water stream on molten material to prevent splattering.

FIRE FIGHTING PROCEDURES

None

UNUSUAL FIRE AND EXPLOSION HAZARDS

None

HAZARDOUS COMBUSTION PRODUCTS

Smoke, fumes or vapors, oxides of carbon.

**SECTION 6 - ACCIDENTAL RELEASE MEASURES**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Solid material - Recover and segregate product for reuse or place product into approved container for landfill disposal. Molten material - allow molten material to cool and solidify, place material into approved container for landfill disposal. CAUTION - molten material is hot and will cause thermal burns to skin.

**SECTION 7 - HANDLING AND STORAGE**

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; store containers in cool, dry area. Keep this and other chemicals out of reach of children.

**SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**

ENGINEERING CONTROLS

The use of local exhaust ventilation and airborne particle collection is recommended. No other special controls are indicated.

PERSONAL PROTECTION:

RESPIRATORY PROTECTION: NIOSH approved respirator designed to remove airborne particulate present in excess of maximum allowable concentrations due to secondary operations such as mixing, spraying, sanding, buffing, etc. Refer to 29 CFR 1910.134 or European Standard EN 149 for regulations.

PROTECTIVE GLOVES: Heat resistant gloves.

EYE PROTECTION: Chemical splash goggles. Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyewash station nearby.

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

**MATERIAL SAFETY DATA SHEET**PRODUCT NAME: # 725 Hot Melt Glue  
May 6, 2008

Page 3 of 4

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES****APPEARANCE AND ODOR**

Clear to opaque white to light amber solid, odorless

**VAPOR DENSITY (AIR = 1)**

Not applicable

**SPECIFIC GRAVITY (WATER = 1)**

0.960

**EVAPORATION RATE (Water = 1)**

Not applicable

**SOLUBILITY IN WATER**

Negligible

**% VOLATILE (BY WEIGHT)**

None

**pH**

Not applicable

**VAPOR PRESSURE**

Not applicable

**BOILING POINT**

Not applicable

**SOFTENING POINT**

176° F (80° C)

**VISCOSITY**

Solid

**VOLATILE ORGANIC COMPOUNDS (VOC's)**

None

**SECTION 10 - STABILITY AND REACTIVITY****STABILITY**

UNSTABLE:

STABLE: X

CONDITIONS TO AVOID: Extreme temperatures, store in cool dry area

INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced.

**HAZARDOUS POLYMERIZATION**

MAY OCCUR:

WILL NOT OCCUR: X

CONDITIONS TO AVOID: None

**SECTION 11 - TOXICOLOGICAL INFORMATION**

Hazardous Ingredients	CAS #	EINECS #	LD50 of Ingredient Species and Route	LC50 of Ingredient Species
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directive 91 / 155 / EEC.				

**SECTION 12 - ECOLOGICAL INFORMATION**

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

**SECTION 13 - DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. Product is classified as non - hazardous, however, non-hazardous materials may become hazardous waste upon contact with other products. Refer to 40 CFR 260 - 299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.

**SECTION 14 - TRANSPORT INFORMATION**

PROPER SHIPPING NAME: Non - Hazardous for Transport

DOT HAZARD CLASS / Pack Group: Not regulated

REFERENCE: Not Applicable

UN / NA IDENTIFICATION NUMBER: None

LABEL: None Required

HAZARD SYMBOLS: None

IATA HAZARD CLASS / Pack Group: Not regulated

IMDG HAZARD CLASS: Not regulated

RID/ADR Dangerous Goods Code: Not regulated

UN TDG Class / Pack Group: Not regulated

Hazard Identification Number (HIN): None

Note: Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

**MATERIAL SAFETY DATA SHEET**PRODUCT NAME: # 725 Hot Melt Glue  
May 6, 2008

Page 4 of 4

**SECTION 15 - REGULATORY INFORMATION****TSCA (Toxic Substance Control Act)**

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

**SARA TITLE III (Superfund Amendments and Reauthorization Act)**

311/312 Hazard Categories

None

313 Reportable Ingredients:

None

**CERCLA (Comprehensive Response Compensation and Liability Act)**

None

**California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986**

There are no reportable chemicals present known to the state of California to cause cancer or reproductive toxicity.

**CPR (Canadian Controlled Products Regulations)**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: Not controlled

**IDL (Canadian Ingredient Disclosure List)**

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 3.

**DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)**

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 3 unless otherwise indicated.

**EINECS (European Inventory of Existing Commercial Chemical Substances)**

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

WGK Water Quality Index: nwg

VbK Index:

Not applicable

**Risk Phrases**

None

**SYMBOL(S) REQUIRED  
FOR LABEL**

None

**Safety Phrases**

None

**SECTION 16 - OTHER INFORMATION**

Specific toxicity tests have not been conducted on this product. Our hazard evaluation is based on information from similar products, the ingredients, technical literature, and/or professional experience.

**HMIS HAZARD RATINGS**

HEALTH

1

\* = Chronic Health Hazard

2 = MODERATE

FLAMMABILITY

1

0 = INSIGNIFICANT

3 = HIGH

PHYSICAL HAZARD

0

1 = SLIGHT

4 = EXTREME

PERSONAL PROTECTIVE EQUIPMENT

B

Safety Glasses, Gloves

**REVISION SUMMARY:**

This MSDS has been revised in the following sections:  
Format revision

**MSDS Prepared by:**

Comprehensive Data Base, Inc.

P.O. Box 686

Seffner, FL 33583 USA

(863) 644 - 3298

www.compdatabase.com or www.msds.cc

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.