# MATERIAL SAFETY DATA SHEET

: 1

Date Prepared: March 15, 1995

MSDS Number : 00000047

# 235543197

Snapback Spray Buff Liquid 3197

03/07/95 01/08/94

# 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

: 3197 PO/Code Number

Product Identifier: Snapback Spray Buff Liquid 3197 03/07/95 01/08/94

General Use : Touch up floor appearance Product Description: Milky color with mild odor

Trade Name/Chemical Family/Synonyms:

Snapback Spray Buff

MANUFACTURER:

S.C. Johnson Wax Co.

EMERGENCY TELEPHONE NUMBERS:

Health

800-228-5635

Transportation

CHEMTREC

800-424-9300

Racine, WI 53403-5011 800-228-5635ex092

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Wt.%	CAS Registry #
	about spine states	
Isoparaffinic Hydrocarbon Solvent Diethylene Glycol Monoethyl Ether Acrylic Polymers Alkylphenoxy Polyethoxyethanol Triethanolamine Water	10-15 <2 2-4 1-4 0.4-0.8 65-85	64742-48-9 111-90-0 N/D 26027-38-3 102-71-6
***************************************		

PONENTS (29 CFR	1910.1200): EXPOSURE LIMI	TS 8 hrs.TW	A (ppm)
d OSHA STEL	OSHA PEL	ACGIH TLV	Supplier
rbon Solvent			
N/A	300 PPM	N/A	S.C. Johnson
oethyl Ether			
N/A	N/A	nN/A	S C. Johnson
			_
N/D	N/D	/D	Johnson wax
xyethanol			
N/A	N/A	N/A	SCJohnson
N/A	N/A	N/A	SC Johnson
	d OSHA STEL  rbon Solvent N/A  pethyl Ether N/A  N/D  xyethanol N/A	d OSHA STEL OSHA PEL  rbon Solvent N/A 300 PPM  pethyl Ether N/A N/A  N/D N/D  xyethanol N/A N/A	EXPOSURE LIMITS 8 hrs.TW.  d OSHA STEL OSHA PEL ACGIH TLV  rbon Solvent     N/A 300 PPM N/A  pethyl Ether     N/A N/A nN/A  N/D N/D /D  xyethanol     N/A N/A

Date Prepared: March 15, 1995

MSDS Number : 00000047

Snapback Spray Buff Liquid 3197

03/07/95 01/08/94

# 3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

N/A

POTENTIAL HEALTH EFFECTS

INHALATION:

N/A

EYE CONTACT:

N/A

SKIN CONTACT:

N/A

INGESTION:

If taken internally, aspiration of product can cause chemical pneumonitis.

CHRONIC:

N/A

TARGET ORGANS:

N/A

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

None Known

# 4. FIRST AID MEASURES

INHALATION:

No special requirements under normal use conditions

EYE CONTACT:

No special requirements under normal use conditions

SKIN CONTACT:

No sprcial requirements under label recommended use direction

INGESTION:

Seek medical aid at once. Contains naphtha; if swallowed do not induce vomiting.

NOTES TO PHYSICIAN:

N/A

Date Prepared: March 15, 1995

MSDS Number : 00000047

Snapback Spray Buff Liquid 3197 03/07/95 01/08/94

# 5. FIRE FIGHTING MEASURES

Flashpoint(°F) and Method : 152DegF. (TCC)

Autoignition Temperature(°F): N/A

FLAMMABLE LIMITS

Ingredient: N/A

UEL: N/A

LEL: N/A

GENERAL HAZARD:

N/A

FIRE FIGHTING INSTRUCTIONS:

Normal fire fighting procedures may be used

FIRE FIGHTING EQUIPMENT:

N/A

EXTINGUISHING MEDIA:

Foam: Yes

Alcohol Foam: N/A

CO2: Yes

Dry Chemical: Yes

Water: Yes

Other: Yes

HAZARDOUS COMBUSTION PRODUCTS:

When exposed to fire, produces normal products of combustion.

NATIONAL FIRE PROTECTION ASSOCIATION:

NFPA Hazard Rating: 0-Insignificant 1-Slight

2-Moderate 3-High U-Unknown \*-No Information

4-Extreme

Health

Flammability: 2

Reactivity : 0

SPECIAL INFORMATION:

N/A

### 6. ACCIDENTAL RELEASE MEASURES

LAND SPILL

Do not let spilled or leaking material enter watercourse. May be toxic to aquatic life. Eliminate all ignition bsorb with oil-dri or similar inert material. Sweep or scrape up containerize.

WATER SPILL

N/A

Date Prepared: March 15, 1995

MSDS Number : 00000047

Snapback Spray Buff Liquid 3197 03/07/95 01/08/94

# 7. HANDLING AND STORAGE

STORAGE TEMPERATURE (°F): N/A

STORAGE PRESSURE: N/A

#### GENERAL:

No special requirements under normal use conditions. General room ventilation is adequate. Store in a cool, dry place with adequate ventilation. Keep from freezing. Product residue may remain on/in empty container. All precautions for handling the product must be used in handling the empty container and residue.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

Caution, keep away from open flame or spark.

PERSONAL PROTECTION:

RESPIRATOR:

No special requirements under normal use conditions.

PROTECTIVE CLOTHING:

No special requirements under normal use condituions.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Vapor Pressure (mmHg) : N/D Specific Gravity (Water=1) : 1.0 pH : 7.9-8.8 Odor : Mild

Solubility in Water : Compete Freezing Point : N/D Evaporation Rate (BuAc=1) : N/D

Viscosity

Boiling Point (°F)

Appearance

Physical State

Vapor Density (Air=1)

Percent Volatile by Vol

N/D

N/D

N/D

N/D

## 10. STABILITY AND REACTIVITY

**GENERAL:** Stable

INCOMPATIBLE MATERIALS AND CONDITIONS TO AVOID:

None known

Date Prepared: March 15, 1995

MSDS Number : 00000047

Snapback Spray Buff Liquid 3197

03/07/95 01/08/94

10. STABILITY AND REACTIVITY, Continued

HAZARDOUS DECOMPOSITION PRODUCTS:

N/D

11. TOXICOLOGICAL INFORMATION

N/D

CARCINOGENIC INFORMATION: N/A

CAS #: N/D

%Wt.: N/D

IARC: No

NTP: No

OSHA: No

ACGIH: No

Other: No

12. ECOLOGICAL INFORMATION

N/D

DISPOSAL CONSIDERATION

RCRA Hazard Class: N/D

No special disposal method. Observe all applicable regulations. Waste from normal product use may be sewered to a public-owned treatment works.

14. TRANSPORT INFORMATION

DOT (Department of Transportation)

Proper Shipping Name : Buffing or polishing compounds, NOI

Hazard Class : Combustible liquid (non-bulk exemption)

Identification Number: N/A

15. REGULATORY INFORMATION

TSCA (Toxic Substance Control Act):

N/D

CERCLA

(Comprehensive Environmental Response Compensation, and Liability Act):

N/A

Date Prepared: March 15, 1995

MSDS Number : 00000047

Snapback Spray Buff Liquid 3197

03/07/95 01/08/94

15. REGULATORY INFORMATION, Continued

SARA TITLE III (Superfund Amendments and Reauthorization Act):

311/312 Hazard Categories:

N/D

313 Reportable Ingredients:

N/D

CALIFORNIA PROPOSITION 65:

N/D

# 16. OTHER INFORMATION

N/A

REFERENCES

N/A

N/A : Not Available
N/D : Not Determined
N/E : Not Established

\* - Where no corresponding data was contained in manufacturer's MSDS, additional research is required and is available upon request.

THE INFORMATION RELATES TO THIS SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS. IT IS THE USER'S RESPONSIBILITY TO SATISFY ONESELF AS TO THE SUITABILITY AND COMPLETENESS OF THIS INFORMATION FOR HIS OWN PARTICULAR USE.